

# Northern<sup>★</sup> NVRPOE Series IP Camera Compatibility List

| IP Camera Manufacturer or Protocol | Model                          | Version             | Max. Resolution | Sub-stream                | Audio                     |
|------------------------------------|--------------------------------|---------------------|-----------------|---------------------------|---------------------------|
| ACTI                               | TCM4301-10D-X-00083            | A1D-310-V4.12.09-AC | 1280×1024       | ×                         | √                         |
|                                    | TCM5311-11D-X-00023            | A1D-310-V4.12.09-AC | 1280×960        | ×                         | √                         |
|                                    | TCM3401-09L-X-00227            | A1D-220-V3.13.16-AC | 1280×1024       | ×                         | ×                         |
| ARECONT                            | AV8185DN                       | 65172               | 1600×1200       | ×                         | ×                         |
|                                    | AV1305M                        | 65175               | 1280×1024       | √                         | ×                         |
|                                    | AV2155                         | 65143               | 1600×1200       | √                         | ×                         |
|                                    | AV2815                         | 65220               | 1920×1080       | √                         | ×                         |
|                                    | AV3105M                        | 65175               | 1920×1080       | √                         | ×                         |
|                                    | AV5105                         | 65175               | 1920×1080       | √                         | ×                         |
|                                    | M1114                          | 5.09.1              | 1024×640        | √                         | ×                         |
| AXIS                               | M3011(ONVIF compatibility)     | 5.21                | 704×576         | √(Only AXIS is supported) | ×                         |
|                                    | M3014(ONVIF compatibility)     | 5.21.1              | 1280×800        | √                         | ×                         |
|                                    | P3301(ONVIF compatibility)     | 5.11.2              | 768×576         | √                         | √(Only AXIS is supported) |
|                                    | P3304(ONVIF compatibility)     | 5.20                | 1440×900        | √                         | √(Only AXIS is supported) |
|                                    | P3343(ONVIF compatibility)     | 5.20.1              | 800×600         | √                         | √(Only AXIS is supported) |
|                                    | P3344(ONVIF compatibility)     | 5.20.1              | 1440×900        | √                         | √(Only AXIS is supported) |
|                                    | P5532                          | 5.15                | 720×576         | √                         | ×                         |
|                                    | Q7404                          | 5.02                | 720×576         | √                         | √                         |
| Bosch (ONVIF compatibility)        | AutoDome Jr 800HD              | 39500450            | 1920×1080       | ×                         | √                         |
|                                    | NBC 265 P                      | 07500453            | 1280×720        | ×                         | √                         |
|                                    | Dinion NBN-921-P               | 10500453            | 1280×720        | ×                         | √                         |
| Brickcom                           | FB-130Np (ONVIF compatibility) | V3.1.0.8            | 1280×1024       | ×                         | √                         |
|                                    | CB-500Ap (ONVIF compatibility) | V3.2.1.3            | 1920×1080       | ×                         | √                         |
|                                    | WFB-100Ap                      | V3.1.0.9            | 1280×800        | ×                         | √                         |
| Canon                              | VB-M400                        | Ver.+1.0.0          | 1280×960        | ×                         | √                         |
|                                    | VB-M6000D                      | Ver.+1.0.0          | 1280×960        | ×                         | ×                         |
|                                    | VB-M7000F                      | Ver.+1.0.0          | 1280×960        | ×                         | √                         |
| HUNT                               | HLC 79AD                       | V1.0.40             | 1600×1200       | √                         | ×                         |
| Hikvision                          | DS-2CD883F-E                   | V5.1.0 build 131202 | 2560×1920       | √                         | √                         |
|                                    | DS-2CD783F-E(I)                | V5.1.0 build 131202 | 2560×1920       | √                         | √                         |
|                                    | DS-2CD783F-E(I)(Z)             | V5.1.0 build 131202 | 2560×1920       | √                         | √                         |
|                                    | DS-2CD8283F-E(I)               | V5.1.0 build 131202 | 2560×1920       | √                         | √                         |
|                                    | DS-2CD886BF-E                  | V4.0.3 build 120913 | 2560×1920       | √                         | √                         |
|                                    | DS-2CD886MF-E                  | V4.0.3 build 120913 | 2560×1920       | √                         | √                         |
|                                    | DS-2CD854F-E                   | V5.1.0 build 131202 | 2048×1536       | √                         | √                         |
|                                    | DS-2CD754F-E(I)                | V5.1.0 build 131202 | 2048×1536       | √                         | √                         |
|                                    | DS-2CD7254F-EZH                | V5.1.0 build 131202 | 2048×1536       | √                         | √                         |
|                                    | DS-2CD8254F-E(I)               | V5.1.0 build 131202 | 2048×1536       | √                         | √                         |
|                                    | DS-2CD754FWD-E(I)              | V5.1.0 build 131202 | 1920×1080       | √                         | √                         |
|                                    | DS-2CD754FWD-EIZ               | V5.1.0 build 131202 | 2048×1536       | √                         | √                         |
|                                    | DS-2CD753F-E(I)                | V5.1.0 build 131202 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD853F-E                   | V5.1.0 build 131202 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD8253F-E(I)               | V5.1.0 build 131202 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD7253F-EZH                | V5.1.0 build 131202 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD8153-E                   | V5.1.0 build 131202 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD7153-E                   | V5.1.0 build 131202 | 1600×1200       | √                         | ×                         |
|                                    | DS-2CD876BF-E                  | V4.0.3 build 120913 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD876MF-E                  | V4.0.3 build 120913 | 1600×1200       | √                         | √                         |
|                                    | DS-2CD877BF                    | V4.0.3 build 120913 | 1920×1080       | √                         | √                         |
|                                    | DS-2CD855F-E                   | V5.1.0 build 131202 | 1920×1080       | √                         | √                         |
|                                    | DS-2CD8255F-EIZ                | V5.1.0 build 131202 | 1920×1080       | √                         | √                         |
|                                    | DS-2CD752MF-E                  | V2.0 build 110426   | 1600×1200       | √                         | √                         |
|                                    | DS-2CD852MF-E                  | V2.0 build 110426   | 1600×1200       | √                         | √                         |
|                                    | DS-2CD852F-E                   | V2.0 build 110426   | 1280×960        | √                         | √                         |
|                                    | DS-2CD846F-EI                  | V5.1.0 build 131202 | 1280×960        | √                         | √                         |
|                                    | DS-2CD863PF/NF-E               | V5.1.0 build 131202 | 1280×960        | √                         | √                         |
| DS-2CD864FWD-E                     | V5.1.0 build 131202            | 1280×720            | √               | √                         |                           |
| DS-2CD764FWD-E(I)                  | V5.1.0 build 131202            | 1280×720            | √               | √                         |                           |
| DS-2CD763PF/NF-E                   | V5.1.0 build 131202            | 1280×960            | √               | √                         |                           |

# Northern<sup>★</sup> NVRPOE Series IP Camera Compatibility List

| IP Camera Manufacturer or Protocol | Model  | Version             | Max. Resolution | Sub-stream | Audio |
|------------------------------------|--|---------------------|-----------------|------------|-------|
|                                    | DS-2CD763PF/NF-EI  | V5.1.0 build 131202 | 1280×960        | √          | √     |
|                                    | DS-2CD7263PF/NF-EZH  | V5.1.0 build 131202 | 1280×960        | √          | √     |
|                                    | DS-2CD7164-E   | V5.1.0 build 131202 | 1280×720        | √          | ×     |
|                                    | DS-2CD8264FWD-E(I)   | V5.1.0 build 131202 | 1280×720        | √          | √     |
|                                    | DS-2CD8264FWD-EZ   | V5.1.0 build 131202 | 1280×720        | √          | √     |
|                                    | DS-2CD3012-I<br>DS-2CD3112-I<br>DS-2CD3212-I3/I5<br>DS-2CD3312-I<br>DS-2CD2212-I3/I5<br>DS-2CD2312-I | V5.1.2 build140116  | 1280×960        | √          | ×     |
|                                    | DS-2CD2412F-I  | V5.1.2 build140116  | 1280×960        | √          | √     |
|                                    | DS-2CD2512F-I<br>DS-2CD2612F-I<br>DS-2CD2712F-I  | V5.1.2 build140116  | 1280×960        | √          | ×     |
|                                    | DS-2CD2512F-IS<br>DS-2CD2612F-IS<br>DS-2CD2712F-IS   | V5.1.2 build140116  | 1280×960        | √          | √     |
|                                    | DS-2CD2232-I3/I5<br>DS-2CD2332-I   | V5.1.2 build140116  | 2048×1536       | √          | ×     |
|                                    | DS-2CD2432F-I  | V5.1.2 build140116  | 2048×1536       | √          | √     |
|                                    | DS-2CD2532F-I<br>DS-2CD2632F-I<br>DS-2CD2732F-I  | V5.1.2 build140116  | 2048×1536       | √          | ×     |
|                                    | DS-2CD2532F-IS<br>DS-2CD2632F-IS<br>DS-2CD2732F-IS   | V5.1.2 build140116  | 2048×1536       | √          | √     |
|                                    | DS-2CD3132-I<br>DS-2CD3032-I<br>DS-2CD3332-I<br>DS-2CD3232-I3/I5                                     | V5.1.2 build140116  | 2048×1536       | √          | ×     |
|                                    | DS-2CD2010-I<br>DS-2CD2110-I<br>DS-2CD2210-I<br>DS-2CD2310-I   | V5.1.0 build 131202 | 1280×960        | √          | ×     |
|                                    | DS-2CD2210-I3/I5   | V5.1.0 build 131202 | 1280×960        | √          | ×     |
|                                    | DS-2CD2810F  | V5.1.0 build 131202 | 1280×960        | √          | √     |
|                                    | DS-2CD864-EI3(B)<br>DS-2CD864-EI5(B)   | V5.1.0 build 131202 | 1280×960        | √          | ×     |
|                                    | DS-2CD2510F<br>DS-2CD2610F-I<br>DS-2CD2710F-I  | V5.1.2 build140121  | 1280×960        | √          | ×     |
|                                    | DS-2CD2610F-IS<br>DS-2CD2710F-IS   | V5.1.2 build140121  | 1280×960        | √          | √     |
|                                    | DS-2CD4012F<br>DS-2CD4212F-IS(2.8-12mm)<br>DS-2CD4112F-I(2.8-12mm)<br>DS-2CD4312F-IS                 | V5.1.3 build 140117 | 1280×960        | √          | √     |
|                                    | DS-2CD4212F-I(2.8-12mm)  | V5.1.3 build 140117 | 1280×960        | √          | ×     |
|                                    | DS-2CD4024F<br>DS-2CD4124F-I(2.8-12mm)<br>DS-2CD4224F-IS<br>DS-2CD4324F-IS                           | V5.1.3 build 140117 | 1920×1080       | √          | √     |
|                                    | DS-2CD4224F-IS   | V5.1.3 build 140117 | 1920×1080       | √          | √     |
|                                    | DS-2CD4032FWD<br>DS-2CD432FWD-IS<br>DS-2CD4232FWD-IS(2.8-12mm)<br>DS-2CD4132FWD-I(2.8-12mm)          | V5.1.3 build 140117 | 2048×1536       | √          | √     |
|                                    | DS-2CD4232FWD-I  | V5.1.3 build 140117 | 2048×1536       | √          | ×     |
|                                    | DS-2CD4032FHWD<br>DS-2CD4132FHWD-I   | V5.1.3 build 140117 | 2048×1536       | √          | √     |
|                                    | DS-2CD4012FWD<br>DS-2CD4112FWD-I<br>DS-2CD4212FWD-IS<br>DS-2CD4312FWD-IS<br>DS-2CD6412FWD            | V5.1.3 build 140117 | 2048×1536       | √          | √     |
|                                    | DS-2CD4212FWD-I  | V5.1.3 build 140117 | 2048×1536       | √          | ×     |
|                                    | DS-2CD4026FWD-SDI  | V5.1.3 build 140117 | 2048×1536       | √          | √     |

# Northern<sup>★</sup> NVRPOE Series IP Camera Compatibility List

| IP Camera Manufacturer or Protocol | Model  | Version             | Max. Resolution | Sub-stream | Audio |
|------------------------------------|--|---------------------|-----------------|------------|-------|
|                                    | DS-2CD4026FWD  | V5.1.0 build 131202 | 1920×1080       | √          | √     |
|                                    | DS-2CD6026FHWD   | V5.1.0 build 131202 | 1920×1080       | √          | √     |
|                                    | DS-2CD6213F  | V5.1.0 build 131202 | 2048×1536       | √          | ×     |
|                                    | DS-2CD6223F  | V5.1.0 build 131202 | 1920×1080       | √          | ×     |
|                                    | DS-2CD6233F  | V5.1.0 build 131202 | 2048×1536       | √          | ×     |
|                                    | DS-2CD6233F-SDI  | V5.1.0 build 131202 | 2048×1536       | √          | ×     |
|                                    | DS-2CD7133F-E  | V5.1.0 build 131202 | 640×480         | √          | ×     |
|                                    | DS-2CD733F-E(I)  | V5.1.0 build 131202 | 640×480         | √          | √     |
|                                    | DS-2CD833F-E   | V5.1.0 build 131202 | 640×480         | √          | √     |
|                                    | DS-2CD8133F-E  | V5.1.0 build 131202 | 640×480         | √          | √     |
|                                    | DS-2CD8233F-E  | V5.1.0 build 131202 | 640×480         | √          | √     |
|                                    | DS-2CD7233F-EZH  | V5.1.0 build 131202 | 640×480         | √          | √     |
|                                    | DS-2CD8433F-EI   | V5.1.0 build 131202 | 640×480         | √          | √     |
|                                    | DS-2CD802NF<br>DS-2CD812PF<br>DS-2CD832F<br>DS-2CD892PF/NF   | V2.0 build 090522   | 704×576         | √          | √     |
|                                    | DS-2CD893PF-E<br>DS-2CD893PFWD-E<br>DS-2CD793PF-EI<br>DS-2CD793PFWD-EI   | V5.1.0 build 131202 | 704×576         | √          | √     |
|                                    | DS-2CD893NF-E<br>DS-2CD893NFWD-E<br>DS-2CD793PF/NF-E<br>DS-2CD793NF-EI<br>DS-2CD793PFWD-E<br>DS-2CD793NFWD-E<br>DS-2CD793NFWD-EI | V5.1.0 build 131202 | 704×576         | √          | √     |
|                                    | DS-2CD9121   | V3.4.2 build 130718 | 1600×1200       | √          | ×     |
|                                    | iDS-2CD9121  | V3.4.2 build 130718 | 1600×1200       | √          | ×     |
|                                    | iDS-2CD9121A   | V3.5.0 build 130906 | 1600×1200       | √          | ×     |
|                                    | DS-2CD9121A  | V3.6.1 build 140103 | 1600×1200       | √          | ×     |
|                                    | DS-2CD9122   | V3.5.0 build 131012 | 1920×1080       | √          | ×     |
|                                    | DS-2CD9122-H   | V3.5.0 build 131018 | 1920×1080       | √          | ×     |
|                                    | DS-2CD9131   | V3.6.1 build 140103 | 2048×1536       | √          | ×     |
|                                    | iDS-2CD9131  | V3.6.1 build 140103 | 2048×1536       | √          | ×     |
|                                    | DS-2CD9131K  | V3.6.1 build 140103 | 2048×1536       | √          | ×     |
|                                    | iDS-2CD9131E   | V3.6.1 build 140103 | 2048×1536       | √          | ×     |
|                                    | DS-2CD9111(B)  | V3.5.0 build 130906 | 1360×1024       | √          | ×     |
|                                    | DS-2CD9151A<br>iDS-2CD9151A<br>iDS-2CD9151A-E  | V3.6.1 build 140103 | 2448×2048       | √          | ×     |
|                                    | DS-2CD9120-H   | V3.6.1 build 140103 | 1600×1200       | √          | ×     |
|                                    | DS-2CD9152<br>iDS-2CD9152  | V3.5.0 build 131012 | 2560×1920       | √          | ×     |
|                                    | DS-2CD966(B)<br>DS-2CD966-V(B)   | V3.1.0 build 120423 | 1360×1024       | ×          | ×     |
|                                    | DS-2CD976(B)<br>DS-2CD976(C)<br>DS-2CD976-V(B)<br>DS-2CD976-V(C)   | V3.1 build 120423   | 1600×1200       | ×          | ×     |
|                                    | DS-2CD977(B)<br>DS-2CD977(C)   | V3.1 build 120423   | 1920×1080       | ×          | ×     |
|                                    | DS-2CD986A(B)<br>DS-2CD986A(C)   | V3.1.0 build 120423 | 2448×2048       | ×          | ×     |
|                                    | DS-2CD986C(B)  | V2.3.6 build 120401 | 2560×1920       | ×          | ×     |
|                                    | DS-2DF7274-A/D/AF<br>DS-2DM7274-A<br>DS-2DF5274-A/D/A3/D3/AF/A3F<br>DS-2DM5274-A/A3  | V5.1.4 build 131219 | 1920×1080       | √          | √     |

# Northern<sup>★</sup> NVRPOE Series IP Camera Compatibility List

| IP Camera Manufacturer or Protocol | Model   | Version             | Max. Resolution | Sub-stream | Audio |
|------------------------------------|---|---------------------|-----------------|------------|-------|
|                                    | DS-2DF7284-A/D/AF<br>DS-2DF7286-A/D/AF<br>DS-2DF5284-A/D/A3/D3/AF/A3F<br>DS-2DF5286-A/D/A3/D3/AF/A3F                      | V5.1.4 build 131219 | 1920×1080       | √          | √     |
|                                    | DS-2DE5172-A/A3<br>DS-2DE5174-A/AE/AE3/A3/D/D3<br>DS-2DE5176-A/AE<br>DS-2DE7172-A<br>DS-2DE7174-A/AE/D<br>DS-2DE7176-A/AE | V5.1.0 build 131203 | 1280×960        | √          | √     |
|                                    | DS-2DE5182-A/A3<br>DS-2DE5184-A/AE/AE3/A3/D/D3<br>DS-2DE5186-A/AE<br>DS-2DE7182-A<br>DS-2DE7184-A/AE/D<br>DS-2DE7186-A/AE | V5.1.0 build 131203 | 1280×960        | √          | √     |
|                                    | DS-2DF1-5702<br>DS-2DF1-572<br>DS-2DM1-5702<br>DS-2DM1-572<br>DS-2DM1-5732<br>DS-2DF1-772<br>DS-2DM1-772                  | V4.1.6 build 130422 | 1280×720        | √          | √     |
|                                    | DS-2DF1-77A<br>DS-2DF1-570A<br>DS-2DF1-573A<br>DS-2DF1-57A  | V4.1.6 build 130422 | 1280×960        | √          | √     |
|                                    | DS-2DF1-5734D<br>DS-2DF1-574D<br>DS-2DM1-574D<br>DS-2DM1-5734D<br>DS-2DF1-774D<br>DS-2DM1-774D                            | V4.1.6 build 130422 | 1280×960        | √          | √     |
|                                    | DS-2DF1-584D<br>DS-2DF1-784D  | V4.1.6 build 130422 | 1920×1080       | √          | √     |
|                                    | DS-2DF1-518<br>DS-2DM1-718<br>DS-2DM1-518<br>DS-2DF1-718<br>DS-2DF1-514<br>DS-2DF1-714                                    | V3.2.0 build131223  | 704×576         | √          | √     |
|                                    | DS-2DF1-402<br>DS-2DF1-402N   | V3.2.0 build131223  | 704×576         | √          | √     |
|                                    | DS-2ZCN2006<br>DS-2ZCN3006  | V5.0.2 build130926  | 1280×960        | √          | √     |
|                                    | DS-2ZMN2006<br>DS-2ZMN3006  | V5.0.2 build130926  | 1280×960        | √          | √     |
|                                    | DS-2ZCN2007<br>DS-2ZCN3007  | V5.0.2 build130926  | 1280×960        | √          | √     |
|                                    | DS-2ZMN2007<br>DS-2ZMN3007<br>DS-2ZMN0407   | V5.0.2 build130926  | 1280×960        | √          | √     |
|                                    | DS-6501HFI<br>DS-6502HFI<br>DS-6504HFI  | V1.0.1 build130607  | 704×576         | √          | √     |
|                                    | DS-6501HFI-Sata<br>DS-6502HFI-Sata<br>DS-6504HFI-Sata   | V1.0.1 build130607  | 704×576         | √          | √     |
|                                    | DS-6508HFI<br>DS-6516HFI  | V1.0.1 build130607  | 704×576         | √          | √     |
|                                    | DS-6508HF-Sata<br>DS-6516HF-Sata<br>DS-6508HFI-Sata<br>DS-6516HFI-Sata  | V1.0.1 build130607  | 704×576         | √          | √     |
|                                    | DS-6501HCI<br>DS-6502HCI<br>DS-6504HCI<br>DS-6501HCI-sata<br>DS-6502HCI-sata  | V1.0.1 build130607  | 704×576         | √          | √     |

# Northern<sup>★</sup> NVRPOE Series IP Camera Compatibility List

| IP Camera Manufacturer or Protocol | Model                                  | Version                             | Max. Resolution | Sub-stream | Audio |
|------------------------------------|--|-------------------------------------|-----------------|------------|-------|
|                                    | DS-6504HCI-sata                        |                                     |                 |            |       |
|                                    | DS-6508HCI<br>DS-6508HCI-sata          | V1.0.1 build130607                  | 704×576         | √          | √     |
|                                    | DS-6516HCI<br>DS-6516HCI-sata          | V1.0.1 build130607                  | 704×576         | √          | √     |
|                                    | DS-6601HCI<br>DS-6602HCI<br>DS-6604HCI | V1.2.1 build 131202                 | 704×576         | √          | √     |
|                                    | DS-6601HFI<br>DS-6602HFI<br>DS-6604HFI | V1.2.1 build 131202                 | 704×576         | √          | √     |
|                                    | DS-6601HFHI<br>DS-6601HFHI/L           | V1.0.4 build 130115                 | 1920×1080       | √          | √     |
| Panasonic                          | WV-SW152(ONVIF compatibility)          | Application:1.66<br>Image data:1.05 | 800×600         | √          | ×     |
|                                    | WV-SC386(ONVIF compatibility)          | Application:1.66<br>Image data:1.05 | 1280×960        | √          | √     |
|                                    | WV-SW155(ONVIF compatibility)          | Application:1.66<br>Image data:1.05 | 1280×960        | √          | ×     |
|                                    | WV-SW316(ONVIF compatibility)          | Application:1.66<br>Image data:2.03 | 1280×960        | √          | √     |
|                                    | WV-SP105(ONVIF compatibility)          | Application:1.66<br>Image data:1.03 | 1280×960        | √          | ×     |
|                                    | WV-SF132(ONVIF compatibility)          | Application:1.66<br>Image data:1.03 | 640×360         | √          | ×     |
|                                    | WV-SP102(ONVIF compatibility)          | Application:1.66<br>Image data:1.03 | 640×480         | √          | ×     |
|                                    | WV-SP509(ONVIF compatibility)          | Application:1.30<br>Image data:2.21 | 1280×960        | √          | √     |
|                                    | WV-SW559(ONVIF compatibility)          | Application:1.30<br>Image data:2.21 | 1920×1080       | √          | √     |
|                                    | WV-SW558(ONVIF compatibility)          | Application:1.30<br>Image data:2.21 | 1920×1080       | √          | ×     |
|                                    | WV-SW355(ONVIF compatibility)          | Application:1.66<br>Image data:1.04 | 1280×960        | √          | √     |
|                                    | WV-SW352(ONVIF compatibility)          | Application:1.66<br>Image data:1.04 | 800×600         | √          | √     |
|                                    | WV-SF342(ONVIF compatibility)          | Application:1.66<br>Image data:1.06 | 800×600         | √          | √     |
|                                    | WV-SF332(ONVIF compatibility)          | Application:1.66<br>Image data:1.06 | 800×600         | √          | √     |
|                                    | WV-SF346(ONVIF compatibility)          | Application:1.66<br>Image data:1.06 | 1280×960        | √          | √     |
|                                    | WV-SP306H                              | Application:1.34<br>Image data:1.06 | 1280×960        | √          | √     |
|                                    | WV-SP336H                              | Application:1.06<br>Image data:1.06 | 1280×960        | √          | √     |
| PELCO                              | D5118                                  | 1.8.2-20120327-<br>2.9310-A1.7852   | 1280×960        | √          | ×     |
|                                    | IXE20DN-AAXVUU2                        | 1.8.2-20120327-<br>2.9081-A1.7852   | 1920×1080       | √          | ×     |
|                                    | IX30DN-ACFZHB3                         | 1.8.2-20120327-<br>2.9080-A1.7852   | 2048×1536       | √          | ×     |

# Northern<sup>★</sup> NVRPOE Series IP Camera Compatibility List

| IP Camera Manufacturer or Protocol | Model                               | Version            | Max. Resolution | Sub-stream                 | Audio |
|------------------------------------|-------------------------------------|--------------------|-----------------|----------------------------|-------|
| SAMSUNG (ONVIF compatibility)      | SNB-5080P                           | V3.10_130416       | 1280×1024       | √(Only ONVIF is supported) | √     |
| SANYO                              | VCC-HD2300P                         | 2.03-02(110318-00) | 1920×1080       | ×                          | ×     |
|                                    | VCC-HD2500P                         | 2.02-02(110208-00) | 1920×1080       | ×                          | √     |
|                                    | VCC-HD4600P                         | 2.03-02(110315-00) | 1920×1080       | ×                          | √     |
| SONY                               | SNC-CH220                           | 1.50.00            | 1920×1080       | ×                          | ×     |
|                                    | SNC-RH124(ONVIF compatibility)      | 1.73.00            | 1280×720        | √                          | √     |
|                                    | SNC-EP580(ONVIF compatibility)      | 1.53.00            | 1920×1080       | √                          | √     |
|                                    | SNC-DH220T(Only ONVIF is supported) | 1.50.00            | 2048×1536       | ×                          | ×     |
| Vivotek                            | IP7133                              | 0203a              | 640×480         | ×                          | ×     |
|                                    | FD8134(ONVIF compatibility)         | 0107a              | 1280×800        | ×                          | ×     |
|                                    | IP8161(ONVIF compatibility)         | 0104a              | 1600×1200       | ×                          | √     |
|                                    | IP8331(ONVIF compatibility)         | 0102a              | 640×480         | ×                          | ×     |
|                                    | IP8332(ONVIF compatibility)         | 0105b              | 1280×800        | ×                          | ×     |
| ZAVIO                              | D5110                               | MG.1.6.03P8        | 1280×1024       | √                          | ×     |
|                                    | F3106                               | M2.1.6.03P8        | 1280×1024       | √                          | √     |
|                                    | F3110                               | M2.1.6.01          | 1280×720        | √                          | √     |
|                                    | F3206                               | MG.1.6.02c045      | 1920×1080       | √                          | √     |
|                                    | F531E                               | LM.1.6.18P10       | 640×480         | √                          | √     |